

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **APAF1 RABBIT PAB**

**Cat.#:** S219605

Product Name: Anti-APAFI Rabbit Polyclonal Antibody

Synonyms: CED4

UNIPROT ID: O14727 (Gene Accession - NP\_863659)

**Background:** This gene encodes a cytoplasmic protein that initiates apoptosis. This protein contains several copies of the WD-40 domain, a caspase recruitment domain (CARD), and an ATPase domain (NB-ARC). Upon binding cytochrome c and dATP, this protein forms an oligomeric apoptosome. The apoptosome binds and cleaves caspase 9 preproprotein, releasing its mature, activated form. Activated caspase 9 stimulates the subsequent caspase cascade that commits the cell to apoptosis. Alternative splicing results in several transcript variants encoding different isoforms.

Immunogen: Synthetic peptide of human APAFI

Applications: ELISA, WB, IHC

**Recommended Dilutions:** IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Cancer, Metabolism

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 219605(APAFI Antibody) at a dilution of 1/20(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the synthetic peptide and then with 219605 (Anti-APAF1 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 219605(Anti-APAFI Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with synthetic peptide and then with D260008(Anti-APAFI Antibody) at dilution 1/20.



Gel: 6%SDS-PAGE, Lysate: 40 μg; Lane 1-2: Hela cells, A549 cells;

Primary antibody: 219605(APAF1 Antibody) at

dilution 1/350;

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution;

Exposure time: 5 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010