

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

APOL2 RABBIT PAB

Cat.#: S220298

Product Name: Anti-APOL2 Rabbit Polyclonal Antibody

Synonyms: APOL3; APOL-II

UNIPROT ID: Q9BQE5 (Gene Accession - NP_112092)

Background: This gene is a member of the apolipoprotein L gene family. The encoded protein is found in the cytoplasm, where it may affect the movement of lipids or allow the binding of lipids to organelles. Two

transcript variants encoding the same protein have been found for this gene.

Immunogen: Synthetic peptide of human APOL2

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Cardiovascular

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human colorectal cancer tissue using 220298(APOL2 Antibody) at a dilution of 1/60(Cytoplasm).




The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using 220298(Anti-APOL2 Antibody) at a dilution of 1/60.



In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with the synthetic peptide and then with 220298 (Anti-APOL2 Antibody) at dilution 1/60.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with synthetic peptide and then with D261292(Anti-APOL2 Antibody) at dilution 1/60.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: HUVEC cell lysate; Primary antibody: 220298(APOL2 Antibody) at dilution 1/500; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 4 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010