

ASB9 RABBIT PAB

Cat.#: S218214

Product Name: Anti-ASB9 Rabbit Polyclonal Antibody

Synonyms:

UNIPROT ID: Q96DX5 (Gene Accession - BC001244)

Background: This gene encodes a member of the ankyrin repeat and suppressor of cytokine signaling (SOCS) box protein family. Members of this family can interact with the elongin B-C adapter complex via their SOCS box domain and further complex with the cullin and ring box proteins to form E3 ubiquitin ligase complexes. They may function to mediate the substrate-recognition of the E3 ubiquitin ligases. A transcribed pseudogene of this gene has been identified on chromosome 15. Multiple transcript variants encoding different isoforms have been found for this gene.

Immunogen: Fusion protein of human ASB9

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 100-200;WB: 500-2000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG


Purification: Antigen affinity purification

Species Reactivity: Human


Constituents: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

Research Areas: Cell Biology


Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 218214(ASB9 Antibody) at a dilution of 1/110(Cytoplasm).




In comparison with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 218214(Anti-ASB9 Antibody) at dilution 1/110.



The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using 218214(Anti-ASB9 Antibody) at a dilution of 1/110.



In comparison with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with fusion protein and then with D223964(Anti-ASB9 Antibody) at dilution 1/110.



Gel: 12%SDS-PAGE, Lysate: 40 µg;
 Lane 1-2: Raji and Hela cell lysates;
 Primary antibody: 218214(ASB9 Antibody) at dilution 1/800;
 Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;
 Exposure time: 3 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
