

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

BFAR RABBIT PAB

Cat.#: S220103

Product Name: Anti-BFAR Rabbit Polyclonal Antibody

Synonyms: BAR; RNF47

UNIPROT ID: Q9NZS9 (Gene Accession - NP_057645)

Background: A novel protein, BAR, for bifunctional apoptosis regulator, contains domains that enable it to interact with components of both major apoptosis pathways, where it negatively regulates apoptotic signaling. Like the other anti-apoptosis proteins Bap31 and FLIP, BAR contains a DED-like domain that is capable of suppressing apoptosis mediated at the receptor level. In addition, BAR contains a domain that also enables it to interact with the mitochondrial Bcl-2 family of proteins. The presence of these various RING, SAM, DED and TM domains suggests that BAR may serve as a scaffold protein that integrates signaling components of the cells apoptosis-regulatory machinery.

Immunogen: Synthetic peptide of human BFAR

Applications: ELISA, IHC

Recommended Dilutions: IHC: 25-100; ELISA: 1000-2000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Cancer

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220103(BFAR Antibody) at a dilution of 1/20(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220103(Anti-BFAR . Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 220103(Anti-BFAR Antibody) at a dilution peptide and then with D260960(Anti-BFAR of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with synthetic Antibody) at dilution 1/20.