

BIN1 RABBIT MAB

Cat.#: N261925

Product Name: Anti-BIN1 Rabbit Monoclonal Antibody

Synonyms: BIN1; AMPHL; Myc box-dependent-interacting protein 1; Amphiphysin II; Amphiphysin-like protein; Box-dependent myc-interacting protein 1; Bridging integrator 1

UNIPROT ID: O00499

Background: This gene encodes several isoforms of a nucleocytoplasmic adaptor protein, one of which was initially identified as a MYC-interacting protein with features of a tumor suppressor. Isoforms that are expressed in the central nervous system may be involved in synaptic vesicle endocytosis and may interact with dynamin, synaptojanin, endophilin, and clathrin. Isoforms that are expressed in muscle and ubiquitously expressed isoforms localize to the cytoplasm and nucleus and activate a caspase-independent apoptotic process. Studies in mouse suggest that this gene plays an important role in cardiac muscle development. Alternate splicing of the gene results in ten transcript variants encoding different isoforms. Aberrant splice variants expressed in tumor cell lines have also been described.

Immunogen: Recombinant protein of human BIN1

Applications: WB,IHC-F,IHC-P,ICC/IF

Recommended Dilutions: WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

Host Species: Rabbit

Clonality: Rabbit Monoclonal

Clone ID: R07-2C1

MW: Calculated MW: 65 kDa; Observed MW: 45-80 kDa

Isotype: IgG

Purification: Affinity Purified

Species Reactivity: Human,Mouse,Rat


Conjugation: Unconjugated

Modification: Unmodified


Constituents: PBS (without Mg²⁺ and Ca²⁺), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

Research Areas: Cell Biology


Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Western blot analysis of BIN1 in rat Brain lysates using BIN1 antibody



Immunocytochemistry analysis of BIN1 (green) in U87-MG using BIN1 antibody, and DAPI (blue).



Western blot analysis of BIN1 in rat brain, mouse muscle lysates using BIN1 antibody.



Immunohistochemistry analysis of paraffin-embedded Human tonsil using BIN1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.