

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CAP2 RABBIT PAB

Cat.#: S216389

Product Name: Anti-CAP2 Rabbit Polyclonal Antibody

Synonyms:

UNIPROT ID: P40123 (Gene Accession - BC008481)

Background: This gene was identified by its similarity to the gene for human adenylyl cyclase-associated protein. The function of the protein encoded by this gene is unknown. However, the protein appears to be

able to interact with adenylyl cyclase-associated protein and actin.

Immunogen: Fusion protein of human CAP2

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 60-200;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Signal Transduction

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human ovarian cancer tissue using 216389(CAP2 Antibody) at a dilution of 1/60(Cytoplasm, Cell membrane).



In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with the fusion protein and then with 216389(Anti-CAP2 Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 216389(Anti-CAP2 Antibody) at a dilution of 1/60.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D220340(Anti-CAP2 Antibody) at dilution 1/60.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human fetal muscle tissue; Primary antibody: 216389(CAP2 Antibody) at dilution 1/700; Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010