

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **CAPN2 RABBIT PAB**

Cat.#: S216381

Product Name: Anti-CAPN2 Rabbit Polyclonal Antibody

Synonyms: CANP2; mCANP; CANPL2; CANPml

UNIPROT ID: P17655 (Gene Accession - BC021303)

**Background:** The calpains, calcium-activated neutral proteases, are nonlysosomal, intracellular cysteine proteases. The mammalian calpains include ubiquitous, stomach-specific, and muscle-specific proteins. The ubiquitous enzymes consist of heterodimers with distinct large, catalytic subunits associated with a common small, regulatory subunit. This gene encodes the large subunit of the ubiquitous enzyme, calpain 2. Multiple heterogeneous transcriptional start sites in the 5' UTR have been reported. Two transcript variants encoding different isoforms have been found for this gene.

Immunogen: Fusion protein of human CAPN2

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 100-300;WB: 1000-5000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG

Purification: Antigen affinity purification

Species Reactivity: Human, Mouse, Rat


**Constituents:** PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol **Research Areas:** Signal Transduction, Cancer, Cardiovascular, Metabolism, Cell Biology

**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 216381(CAPN2 Antibody) at a dilution of 1/100(Cytoplasm).




The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 216381(Anti-CAPN2 Antibody) at a dilution of 1/100.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-3: A549, HepG2, Hela cell lysates; Primary antibody: 216381(CAPN2 Antibody) at dilution 1/1200; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 5 seconds



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the fusion protein and then with 216381(Anti-CAPN2 Antibody) at dilution 1/100.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D220329(Anti-CAPN2 Antibody) at dilution 1/100.



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010