

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CIB2 RABBIT PAB

Cat.#: S219552

Product Name: Anti-CIB2 Rabbit Polyclonal Antibody

Synonyms: KIP2; USH1J; DFNB48

UNIPROT ID: O75838 (Gene Accession - BC047381)

Background: The protein encoded by this gene is similar to that of KIP/CIB, calcineurin B, and calmodulin. The encoded protein is a calcium-binding regulatory protein that interacts with DNA-dependent protein kinase catalytic subunits (DNA-PKcs), and it is involved in photoreceptor cell maintenance. Mutations in this gene cause deafness, autosomal recessive, 48 (DFNB48), and also

Usher syndrome 1J (USH1J). Alternative splicing results in multiple transcript variants.

Immunogen: Fusion protein of human CIB2

Applications: ELISA, IHC

Recommended Dilutions: IHC: 50-100; ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Signal Transduction

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human prostate cancer tissue using 219552(CIB2 Antibody) at a dilution of 1/80(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with the fusion protein and then with 219552(Anti-CIB2 Antibody) at dilution 1/80.



The image on the left is immunohistochemistry of paraffinembedded Human cervical cancer tissue using 219552(Anti-CIB2 Antibody) at a dilution protein and then with D227694(Anti-CIB2 of 1/80.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion . Antibody) at dilution 1/80.