

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **DNAJB11 RABBIT PAB**

Cat.#: S217959

Product Name: Anti-DNAJB11 Rabbit Polyclonal Antibody

**Synonyms:** DJ9; EDJ; Dj-9; ERj3; PKD6; ABBP2; ERdj3; ERj3p; ABBP-2; UNQ537; PRO1080

UNIPROT ID: Q9UBS4 (Gene Accession - BC001144)

**Background:** This gene encodes a soluble glycoprotein of the endoplasmic reticulum (ER) lumen that functions as a co-chaperone of binding immunoglobulin protein, a 70 kilodalton heat shock protein chaperone required for the proper folding and assembly of proteins in the ER. The encoded protein contains a highly conserved J domain of about 70 amino acids with a characteristic His-Pro-Asp (HPD) motif and may regulate the activity of binding immunoglobulin protein by

stimulating ATPase activity.

Immunogen: Fusion protein of human DNAJB11

**Applications:** ELISA, WB, IHC

**Recommended Dilutions:** IHC: 150-300;WB: 1000-5000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


**Research Areas:** Signal Transduction

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 217959(DNAJB11 Antibody) at a dilution of 1/180(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the fusion protein and then with 217959(Anti-DNAJB11 Antibody) at dilution 1/180.



Gel: 8%SDS-PAGE, Lysate: 40 µg;

Lane 1-6: NIH/3T3, K562, HT-29, 231, HUVEC and

Hela cell lysates;

Primary antibody: 217959(DNAJB11 Antibody)

at dilution 1/1000;

Secondary antibody: HRP-conjugated Goat

anti rabbit IgG at 1/5000 dilution;

Exposure time: 15 seconds