

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

DOK4 RABBIT PAB

Cat.#: S217116

Product Name: Anti-DOK4 Rabbit Polyclonal Antibody

Synonyms:

UNIPROT ID: Q8TEW6 (Gene Accession - BC001540)

Background: Docking protein 4 is a protein that in humans is encoded by the DOK4 gene. Dok-4 is a 326 amino acid protein that contains one PH domain and one IRS-type PTB domain and belongs to the Dok family of interacting proteins. Expressed in a variety of tissues with highest expression in liver, heart, kidney and skeletal muscle, Dok-4 plays an important role in Ret-mediated neurite outgrowth and may link Ret with downstream effectors during neuronal differentiation. Additionally, Dok-4 is thought to play a positive role in the activation of MAPK pathways and may participate in T-cell induced immune system regulation. Overexpression of Dok-4 is associated with clear cell renal cell carcinoma, suggesting a role for Dok-4 in tumorigenesis.

Immunogen: Fusion protein of human DOK4

Applications: ELISA, IHC

Recommended Dilutions: IHC: 50-200; ELISA: 1000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Signal Transduction, Neuroscience

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gasrtic cancer tissue using 217116(DOK4 Antibody) at a dilution of 1/60(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human gasrtic cancer tissue is first treated with the fusion protein and then with 217116(Anti-DOK4 Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 217116 (Anti-DOK4 Antibody) at a dilution of 1/60.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D221819(Anti-DOK4 Antibody) at dilution 1/60.