

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

FOXI1 RABBIT PAB

Cat.#: S222047

Product Name: Anti-FOXI1 Rabbit Polyclonal Antibody **Synonyms:** HFH3; FKH10; HFH-3; FKHL10; FREAC6; FREAC-6 **UNIPROT ID:** Q12951 (Gene Accession - NP_036320)

Background: This gene belongs to the forkhead family of transcription factors, which is characterized by a distinct forkhead domain. This gene may play an important role in the development of the cochlea and vestibulum, as well as in embryogenesis. The encoded protein has been found to be required for the transcription of four subunits of a proton pump found in the inner ear, the kidney, and the epididymis. Mutations in this gene have been associated with deafness, autosomal recessive 4.

Immunogen: Synthetic peptide of human FOXII

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Epigenetics and Nuclear Signaling

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human ovarian cancer tissue using 222047(FOXII Antibody) at a dilution of 1/55(Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with the synthetic peptide and then with 222047(Anti-FOXII Antibody) at dilution 1/55.



The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using 222047(Anti-FOXII Antibody) at a dilution of 1/55.



In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with synthetic peptide and then with D263935(Anti-FOXII Antibody) at dilution 1/55.



Exposure time: 1 minute

Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human heart tissue lysate; Primary antibody: 222047(FOXII Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;



Product Description

Pioneering GTPase and Oncogene Product Development since 2010