

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## FRG1 RABBIT PAB

**Cat.#:** S219430

Product Name: Anti-FRG1 Rabbit Polyclonal Antibody

Synonyms: FSG1; FRG1A

UNIPROT ID: Q14331 (Gene Accession - BC053997)

**Background:** This gene maps to a location 100 kb centromeric of the repeat units on

chromosome 4q35 which are deleted in facioscapulohumeral muscular dystrophy (FSHD). It is evolutionarily conserved and has related sequences on multiple human chromosomes but DNA sequence analysis did not reveal any homology to known genes. In vivo studies demonstrate the

encoded protein is localized to the nucleolus. [provided by RefSeq, Jul 2008]

**Immunogen:** Fusion protein of human FRG1

**Applications:** ELISA, IHC

Recommended Dilutions: IHC: 100-300; ELISA: 5000-10000

**Host Species:** Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Epigenetics and Nuclear Signaling

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human tonsil tissue using 219430(FRG1 Antibody) at a dilution of 1/90(Cytoplasm or Nucleus).



In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the fusion protein and then with 219430(Anti-FRG1 Antibody) at dilution 1/90.



The image on the left is immunohistochemistry of paraffinembedded Human esophagus cancer tissue using 219430(Anti-FRGI Antibody) at a dilution protein and then with D226938(Anti-FRGI of 1/90.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion Antibody) at dilution 1/90.