

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

GCG(GLICENTIN) RABBIT PAB

Cat.#: S220536

Product Name: Anti-GCG(Glicentin) Rabbit Polyclonal Antibody

Synonyms: GLP1; GLP2; GRPP

UNIPROT ID: P01275 (Gene Accession - NP_002045)

Background: The protein encoded by this gene is actually a preproprotein that is cleaved into four distinct mature peptides. One of these, glucagon, is a pancreatic hormone that counteracts the glucose-lowering action of insulin by stimulating glycogenolysis and gluconeogenesis. Glucagon is a ligand for a specific G-protein linked receptor whose signalling pathway controls cell proliferation. Two of the other peptides are secreted from gut endocrine cells and promote nutrient absorption through distinct mechanisms. Finally, the fourth peptide is similar to glicentin, an active enteroglucagon.

Immunogen: Synthetic peptide of human GCG(Glicentin)

Applications: ELISA, IHC

Recommended Dilutions: IHC: 25-100; ELISA: 1000-2000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Signal Transduction, Cancer, Metabolism

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 220536(GCG(Glicentin) Antibody) at a dilution of 1/20(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the synthetic peptide and then with 220536(Anti-GCG(Anti-Glicentin) Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human ovarian cancer tissue using 220536(Anti-GCG(Anti-Glicentin) Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with synthetic peptide and then with D261666 (Anti-GCG (Anti-Glicentin) Antibody) at dilution 1/20.