

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

GNA11 RABBIT PAB

Cat.#: S216518

Product Name: Anti-GNA11 Rabbit Polyclonal Antibody

Synonyms: GNA-11

UNIPROT ID: P29992 (Gene Accession - BC096225)

Background: Guanine nucleotide-binding protein subunit alpha-11 is a protein that in humans is encoded by the GNA11 gene. Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. Acts as an activator of

phospholipase C.

Immunogen: Fusion protein of human GNA11

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Signal Transduction

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 216518(GNA11 Antibody) at a dilution of 1/40(cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 216518(Anti-GNA11 Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using 216518(Anti-GNA11 Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D220645(Anti-GNA11 Antibody) at dilution 1/40.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane: Human leiomyosarcoma tissue; Primary antibody: 216518 (GNA11 Antibody) at dilution 1/450; Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution;

Exposure time: 5 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010