

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

GSDMD RABBIT PAB

Cat.#: S222413

Product Name: Anti-GSDMD Rabbit Polyclonal Antibody

Synonyms: DF5L; DFNA5L; FKSG10; GSDMDC1

UNIPROT ID: P57764 (Gene Accession - NP_079012)

Background: Gasdermin D is a member of the gasdermin family. Members of this family appear to play

a role in regulation of epithelial proliferation. Gasdermin D has been suggested to act as a tumor

suppressor. Alternatively spliced transcript variants have been described.

Immunogen: Synthetic peptide of human GSDMD

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Cell Biology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 222413(GSDMD Antibody) at a dilution of 1/50(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the synthetic peptide and then with 222413 (Anti-GSDMD Antibody) at dilution 1/50.



paraffin-embedded Human liver cancer tissue using 222413(Anti-GSDMD Antibody) at a dilution of 1/50.



The image on the left is immunohistochemistry of In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with synthetic peptide and then with D264572(Anti-GSDMD Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: RAW264.7 cell lysate; Primary antibody: 222413 (GSDMD Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010