

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## HACL1 RABBIT PAB

Cat.#: S217510

Product Name: Anti-HACL1 Rabbit Polyclonal Antibody

Synonyms: HPCL; HPCL2; PHYH2; 2-HPCL

UNIPROT ID: Q9UJ83 (Gene Accession - BC001627)

**Background:** HACL1 (2-hydroxyacyl-CoA lyase 1) is also known as HPCL or 2-HPCL (2-hydroxyphytanoyl-CoA lyase) and is a 578 amino acid protein. HACL1 is abundantly expressed in liver, and is also expressed in kidney, heart and skeletal muscle, where it is localized to peroxisomes. HACL1 functions in lipid metabolism as well as fatty acid metabolism and is able to form homotetramers.

Immunogen: Fusion protein of human HACL1

Applications: ELISA, WB, IHC

**Recommended Dilutions:** IHC: 50-200;WB: 200-1000;ELISA: 1000-2000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG

Purification: Antigen affinity purification

Species Reactivity: Human, Mouse, Rat


**Constituents:** PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol **Research Areas:** Cancer, Metabolism

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 217510(HACL1 Antibody) at a dilution of 1/20(Cytoplasm).




The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using 217510(Anti-HACL1 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217510(Anti-HACL1 Antibody) at dilution 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion protein and then with D222494(Anti-HACL1 Antibody) at dilution 1/20.



Primary antibody: 217510(HACL1 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 30 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010