


HDAC11 RABBIT MAB**Cat.#:** N262317**Product Name:** Anti-HDAC11 Rabbit Monoclonal Antibody**Synonyms:** HDAC11; HD11; Histone deacetylase 11**UNIPROT ID:** Q96DB2**Background:** play an important role in the modification of chromatin structure and thus in the suppression and activation of transcription and cellular differentiation. There are 11 members in the HDAC family that are classified into four classes. Class I HDACs represent homologs of the yeast histone deacetylase RPD3, class II HDACs share strong homology with the yeast histone deacetylase HDA1, class III HDAC are closely related to the yeast SIR2 protein, and class IV HDACs comprises Histone deacetylase 11 (HDAC11)-related enzymes. HDAC11 contains 347 amino acid residues.**Immunogen:** A synthetic peptide of human HDAC11**Applications:** WB,IP**Recommended Dilutions:** WB: 1/500-1/1000 IP: 1/20**Host Species:** Rabbit**Clonality:** Rabbit Monoclonal**Clone ID:** R07-7B8**MW:** Calculated MW: 39 kDa; Observed MW: 39 kDa**Isotype:** IgG**Purification:** Affinity Purified**Species Reactivity:** Human**Conjugation:** Unconjugated**Modification:** Unmodified**Constituents:** PBS (without Mg²⁺ and Ca²⁺), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide**Research Areas:** Epigenetics and Nuclear Signaling**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing



Western blot analysis of HDAC11/HD11 in T47D, MCF-7 lysates using HDAC11 antibody.