

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

HDHD2 RABBIT PAB


Cat.#: S218221 Product Name: Anti-HDHD2 Rabbit Polyclonal Antibody Synonyms: HEL-S-301; 3110052N05Rik **UNIPROT ID:** Q9H0R4 (Gene Accession - BC038100) Background: HDHD2 (haloacid dehalogenase-like hydrolase domain containing 2) is also known as DKFZp564D1378 and is a 259 amino acid protein that is expressed as two isoforms produced by alternative splicing. HDHD2 belongs to the HAD-like hydrolase superfamily, which contains a group of hydrolase enzymes Immunogen: Full length fusion protein Applications: ELISA, WB, IHC Recommended Dilutions: IHC: 25-100;WB: 200-1000;ELISA: 5000-10000 Host Species: Rabbit Clonality: Rabbit Polyclonal Isotype: Immunogen-specific rabbit IgG Purification: Antigen affinity purification Species Reactivity: Human, Mouse, Rat Constituents: PBS (without Mq2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol Research Areas: Cell Biology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human tonsil tissue using 218221(HDHD2 Antibody) at a dilution of 1/30(Cytoplasm and Nucleus).



The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 218221(Anti-HDHD2 Antibody) at a dilution of 1/30.




In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the fusion protein and then with 218221(Anti-HDHD2 Antibody) at dilution 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D223974(Anti-HDHD2 Antibody) at dilution 1/30.





Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane: HEPG2 cell lysate; Primary antibody: 218221(HDHD2 Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 20 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010