

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **ITGAE RABBIT PAB**

Cat.#: S217544

**Product Name:** Anti-ITGAE Rabbit Polyclonal Antibody

Synonyms: CD103; HUMINAE

UNIPROT ID: P38570 (Gene Accession - BC113436)

**Background:** Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain. This gene encodes an I-domain-containing alpha integrin that undergoes post-translational cleavage in the extracellular domain, yielding disulfide-linked heavy and light chains. In combination with the beta 7 integrin, this protein forms the E-cadherin binding integrin known as the human mucosal lymphocyte-1 antigen. This protein is preferentially expressed in human intestinal intraepithelial lymphocytes (IEL), and in addition to a role in adhesion, it may serve as an accessory molecule for IEL activation.

Immunogen: Fusion protein of human ITGAE

**Applications:** ELISA, IHC

Recommended Dilutions: IHC: 50-200; ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Signal Transduction, Immunology, Stem Cells

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human colon cancer tissue using 217544(ITGAE Antibody) at a dilution of 1/60(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the fusion protein and then with 217544(Anti-ITGAE Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 217544(Anti-ITGAE Antibody) at a dilution of 1/60.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D222552(Anti-ITGAE Antibody) at dilution 1/60.