

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **KLF13 RABBIT PAB**

Cat.#: N225033

Product Name: Anti-KLF13 Rabbit pAb

**Synonyms:** KLF13; BTEB3; NSLP1; Krueppel-like factor 13; Basic transcription element-binding protein 3; BTE-binding protein 3; Novel Sp1-like zinc finger transcription factor 1; RANTES factor of late activated T-lymphocytes 1;

RFLAT-1; Transcription factor BTEB3; Transcription factor NSLP1

**UNIPROT ID:** Q9Y2Y9

**Background:** Represses transcription by binding to the BTE site, a GC-rich

DNA element, in competition with the activator SP1.

**Immunogen:** The antiserum was produced against synthesized peptide derived from human KLF13 around the non-acetylation site of Lys166. AA

range:131-180

**Applications:** WB,IHC-P,ELISA

**Recommended Dilutions:** WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000

Host Species: Rabbit

**Clonality:** Rabbit Polyclonal

Clone ID: -

MW: Calculated MW: 31 kDa; Observed MW: 31 kDa

**Isotype:** IgG

Purification: Affinity Purified

Species Reactivity: Human, Mouse

**Conjugation:** Unconjugated **Modification:** Unmodified

Constituents: PBS (without Mg2+ and Ca2+), pH 7.3 containing 50%

glycerol, 0.5% BSA and 0.02% sodium azide


Research Areas: Epigenetics and Nuclear Signaling

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing



## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin-embedded Human lung using KLF13 antibody.High-

Citrate pH 6.0 was used for

Western blot analysis of KLF13 in pressure and temperature Sodium L929 lysates using KLF13 antibody.



paraffin-embedded Human pancreas using KLF13 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of Immunohistochemistry analysis of paraffin-embedded Human pancreas using KLF13 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.