

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

LAMIN A/C RABBIT MAB

Cat.#: N263400

Product Name: Anti-Lamin A/C Rabbit Monoclonal Antibody

Synonyms: LMNA; LMN1; Prelamin-A/C

UNIPROT ID: P02545

Background: Lamins are components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane, which is thought to provide a framework for the nuclear envelope and may also interact with chromatin. Lamin A and C are present in equal amounts in the lamina of mammals. Play an important role in nuclear assembly, chromatin organization, nuclear membrane and telomere dynamics.

Prelamin-A/C can accelerate smooth muscle cell senescence. It acts to disrupt mitosis and induce DNA damage in vascular smooth muscle cells (VSMCs), leading to mitotic failure, genomic instability, and premature senescence.

Immunogen: A synthetic peptide of human Lamin A/C

Applications: WB,IHC-F,IHC-P,ICC/IF

Recommended Dilutions: WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

Host Species: Rabbit

Clonality: Rabbit Monoclonal

Clone ID: R07-115

MW: Calculated MW: 74 kDa; Observed MW: 74,63 kDa

Isotype: IgG

Purification: Affinity Purified

Species Reactivity: Human, Mouse

Conjugation: Unconjugated **Modification:** Unmodified

Constituents: PBS (without Mg2+ and Ca2+), pH 7.3 containing 50%

glycerol, 0.5% BSA and 0.02% sodium azide


Research Areas: Tags & Cell Markers

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Western blot analysis of Lamin A/C in U251, Lncap, A549 lysates using Lamin A/C antibody



Western blot analysis of Lamin A/C in 3T3, C2C12 lysates using Lamin A/C antibody.



Immunocytochemistry analysis of Lamin A/C (green) in Hela using Lamin A/C antibody,and DAPI(blue).



Immunohistochemistry analysis of paraffin-embedded Human breast cancer using Lamin A/C antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.