

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

LRP8 RABBIT PAB

Cat.#: S220299

Product Name: Anti-LRP8 Rabbit Polyclonal Antibody

Synonyms: MCII; LRP-8; APOER2; HSZ75190

UNIPROT ID: Q14114 (Gene Accession - NP_001018064)

Background: This gene encodes a member of the low density lipoprotein receptor (LDLR) family.

Low density lipoprotein receptors are cell surface proteins that play roles in both signal

transduction and receptor-mediated endocytosis of specific ligands for lysosomal degradation. The encoded protein plays a critical role in the migration of neurons during development by mediating Reelin signaling, and also functions as a receptor for the cholesterol transport protein apolipoprotein E. Expression of this gene may be a marker for major depressive disorder.

Alternatively spliced transcript variants encoding multiple isoforms have been observed for this

gene.

Immunogen: Synthetic peptide of human LRP8

Applications: ELISA, IHC

Recommended Dilutions: IHC: 25-100; ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Metabolism, Neuroscience, Cardiovascular

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description

Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220299(LRP8 Antibody) at a dilution of 1/20(Secreted).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220299(Anti-LRP8 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human tonsil tissue using 220299(Anti-LRP8 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with synthetic peptide and then with D261297(Anti-LRP8 Antibody) at dilution 1/20.