

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

MAP1A RABBIT PAB

Cat.#: S220219

Product Name: Anti-MAPIA Rabbit Polyclonal Antibody

Synonyms: MAP1L; MTAP1A

UNIPROT ID: P78559 (Gene Accession - NP_002364)

Background: This gene encodes a protein that belongs to the microtubule-associated protein family. The proteins of this family are thought to be involved in microtubule assembly, which is an essential step in neurogenesis. The product of this gene is a precursor polypeptide that presumably undergoes proteolytic processing to generate the final MAP1A heavy chain and LC2 light chain. Expression of this gene is almost exclusively in the brain. Studies of the rat microtubule-associated protein 1A gene suggested a role in early events of spinal cord development.

associated protein in genie suggested a role in early events or spirit

Immunogen: Synthetic peptide of human MAP1A

Applications: ELISA, IHC

Recommended Dilutions: IHC: 25-100; ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Signal Transduction, Neuroscience

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human ovarian cancer tissue using 220219(MAPIA Antibody) at a dilution of 1/25(Nucleus, Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with the synthetic peptide and then with 220219(Anti-MAPIA Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 220219(Anti-MAPIA Antibody) at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with synthetic peptide and then with D261159(Anti-MAPIA Antibody) at dilution 1/25.