

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

MICU1 RABBIT PAB

Cat.#: S218433

Product Name: Anti-MICU1 Rabbit Polyclonal Antibody

Synonyms: CALC; EFHA3; MPXPS; CBARA1

UNIPROT ID: Q9BPX6 (Gene Accession - BC004190)

Background: This gene encodes an essential regulator of mitochondrial Ca2+ uptake under basal conditions. The encoded protein interacts with the mitochondrial calcium uniporter, a mitochondrial inner membrane Ca2+ channel, and is essential in preventing mitochondrial Ca2+ overload, which can cause excessive production of reactive oxygen species and cell stress. Alternatively spliced transcript variants encoding different isoforms have been described.

Immunogen: Fusion protein of human MICU1

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 25-100;WB: 200-1000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Metabolism, Signal Transduction, Immunology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 218433(MICU1 Antibody) at a dilution of 1/35(Cytoplasm and Nucleus).




The image on the left is immunohistochemistry of paraffin-embedded Human cervical cancer tissue using 218433(Anti-MICU1 Antibody) at a dilution of 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 218433(Anti-MICUI Antibody) at dilution 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D224423(Anti-MICUI Antibody) at dilution 1/35.



Gel: 8%SDS-PAGE, Lysate: 40 µg;

Lane: HUVEC cell lysate;

Primary antibody: 218433 (MICUI Antibody) at

dilution 1/350;

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

xposure time: 1



Product Description

Pioneering GTPase and Oncogene Product Development since 2010