

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## MLNR RABBIT PAB

Cat.#: S219928

Product Name: Anti-MLNR Rabbit Polyclonal Antibody

Synonyms: GPR38; MTLR1

UNIPROT ID: O43193 (Gene Accession - NP\_001498)

**Background:** Motilin is a 22 amino acid peptide hormone expressed throughout the gastrointestinal (GI) tract. The protein encoded by this gene is a motilin receptor which is a member of the G-protein coupled receptor I family. This member is a multi-pass transmembrane protein, and is an important therapeutic

target for the treatment of hypomotility disorders. **Immunogen:** Synthetic peptide of human MLNR

Applications: ELISA, WB, IHC

**Recommended Dilutions:** IHC: 30-150;WB: 500-2000;ELISA: 5000-10000

Host Species: Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

Research Areas: Signal Transduction, Neuroscience

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human tonsil tissue using 219928(MLNR Antibody) at a dilution of 1/35(Cell membrane).




In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the synthetic peptide and then with 219928 (Anti-MLNR Antibody) at dilution 1/35.



The image on the left is immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using 219928(Anti-MLNR Antibody) at a dilution of 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with synthetic peptide and then with D260639(Anti-MLNR Antibody) at dilution 1/35.



Gel: 8%SDS-PAGE, Lysate: 40 μg; Lane: 293T cell lysate;

Primary antibody: 219928(MLNR Antibody) at

dilution 1/500;

Secondary antibody: HRP-conjugated Goat antirabbit IgG at 1/5000 dilution;

Exposure time: 2 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010