

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **MSMB RABBIT PAB**

Cat.#: S217684

Product Name: Anti-MSMB Rabbit Polyclonal Antibody

Synonyms: MSP; PSP; IGBF; MSPB; PN44; PRPS; HPC13; PSP57; PSP94; PSP-94

UNIPROT ID: P08118 (Gene Accession - BC005257)

**Background:** The protein encoded by this gene is a member of the immunoglobulin binding factor family. It is synthesized by the epithelial cells of the prostate gland and secreted into the seminal plasma. This protein has inhibin-like activity. It may have a role as an autocrine paracrine factor in uterine, breast and other female reproductive tissues. The expression of the encoded protein is found to be decreased in prostate cancer. Two alternatively spliced transcript variants encoding different isoforms are described for this gene.

Immunogen: Fusion protein of human MSMB

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG

Purification: Antigen affinity purification

Species Reactivity: Human


**Constituents:** PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol **Research Areas:** Immunology

**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 217684(MSMB Antibody) at a dilution of 1/20(Cytoplasm).



The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using 217684(Anti-MSMB Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 217684(Anti-MSMB Antibody) at dilution 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with fusion protein and then with D222863(Anti-MSMB Antibody) at dilution 1/20.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane: Human prostate tissue; Primary antibody: 217684(MSMB Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 second



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010