

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

NLRP4 RABBIT PAB

Cat.#: S220731

Product Name: Anti-NLRP4 Rabbit Polyclonal Antibody **Synonyms:** CT58; PAN2; RNH2; NALP4; PYPAF4; CLR19.5 **UNIPROT ID:** Q96MN2 (Gene Accession - NP_604393)

Background: NALPs are cytoplasmic proteins that form a subfamily within the larger CATERPILLER protein family. Most short NALPs, such as NALP4, have an N-terminal pyrin (MEFV; MIM 608107) domain (PYD), followed by a NACHT domain, a NACHT-associated domain (NAD), and a C-terminal leucine-rich repeat (LRR) region. The long NALP, NALP1 (MIM 606636), also has a C-terminal extension containing a function to find domain (FIIND) and a caspase recruitment domain (CARD). NALPs are implicated in the activation of proinflammatory caspases (e.g., CASP1; MIM 147678) via their involvement in multiprotein complexes called inflammasomes

Immunogen: Synthetic peptide of human NLRP4

Applications: ELISA, IHC

Recommended Dilutions: IHC: 50-200; ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Cancer, Immunology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 220731(NLRP4 Antibody) at a dilution of 1/30(Cytoplasm and Nucleus).



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the synthetic peptide and then with 220731(Anti-NLRP4 Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human prostate cancer tissue using 220731(Anti-NLRP4 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with synthetic peptide and then with D261936 (Anti-NLRP4 Antibody) at dilution 1/30.