

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## NPY1R RABBIT PAB

Cat.#: S220151

**Product Name:** Anti-NPYIR Rabbit Polyclonal Antibody **Synonyms:** NPYR; NPYI-R

Synonyms: NPYR; NPYI-R

UNIPROT ID: P25929 (Gene Accession - NP\_000900)

**Background:** This gene belongs to the G-protein-coupled receptor superfamily. The encoded transmembrane protein mediates the function of neuropeptide Y (NPY), a neurotransmitter, and peptide YY (PYY), a gastrointestinal hormone. The encoded receptor undergoes fast agonist-induced internalization through clathrin-coated pits and is subsequently recycled back to the cell membrane. Activation of Y1 receptors may result in mobilization of intracellular calcium and inhibition of adenylate cyclase activity.

Immunogen: Synthetic peptide of human NPYIR

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 25-100;WB: 500-2000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG

Purification: Antigen affinity purification

Species Reactivity: Human, Rat


**Constituents:** PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol **Research Areas:** Signal Transduction, Cardiovascular

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 220151(NPY1R Antibody) at a dilution of 1/20(Cell membrane).




The image on the left is immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using 220151(Anti-NPY1R Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the synthetic peptide and then with 220151(Anti-NPYIR Antibody) at dilution 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with synthetic peptide and then with D261046(Anti-NPYIR Antibody) at dilution 1/20.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human fetal brain tissue lysate; Primary antibody: 220151(NPY1R Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010