

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **ODF2 RABBIT PAB**

**Cat.#:** S217661

**Product Name:** Anti-ODF2 Rabbit Polyclonal Antibody

**Synonyms:** CT134; ODF84; ODF2/1; ODF2/2

**UNIPROT ID:** Q5BJF6 (Gene Accession - BC010629)

**Background:** The outer dense fibers are cytoskeletal structures that surround the axoneme in the middle piece and principal piece of the sperm tail. The fibers function in maintaining the elastic structure and recoil of the sperm tail as well as in protecting the tail from shear forces during epididymal transport and ejaculation. Defects in the outer dense fibers lead to abnormal sperm morphology and infertility. This gene encodes one of the major outer dense fiber proteins. Alternative splicing results in multiple transcript variants.

**Immunogen:** Fusion protein of human ODF2

**Applications:** ELISA, WB, IHC

Recommended Dilutions: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40%

glycerol


Research Areas: Epigenetics and Nuclear Signaling, Cancer, Developmental Biology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human colon cancer tissue using 217661(ODF2 Antibody) at a dilution of 1/30(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the fusion protein and then with 217661(Anti-ODF2 Antibody) at dilution 1/30.



Gel: 6%SDS-PAGE, Lysate: 40 µg;

Lane 1-2: Human testis tissue, K562 cells; Primary antibody: 217661(ODF2 Antibody) at

dilution 1/650;

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution;

Exposure time: 30 seconds