

## PHOSPHO-ERK1/2 (TYR222/TYR205) (10C8) MOUSE MAB

**Cat.#:** N261342

**Product Name:** Anti-Phospho-ERK1/2 (Tyr222/Tyr205) (10C8) Mouse Monoclonal Antibody

**Synonyms:** MAPK1/MAPK3

**UNIPROT ID:** P27361/P28482

**Background:** Serine/threonine kinase which acts as an essential component of the MAP kinase signal transduction pathway. MAPK1/ERK2 and MAPK3/ERK1 are the 2 MAPKs which play an important role in the MAPK/ERK cascade. They participate also in a signaling cascade initiated by activated KIT and KITLG/SCF. Depending on the cellular context, the MAPK/ERK cascade mediates diverse biological functions such as cell growth, adhesion, survival and differentiation through the regulation of transcription, translation, cytoskeletal rearrangements.

**Immunogen:** Synthetic peptide conjugated to KLH.

**Applications:** IHC-P

**Recommended Dilutions:** IHC: 1/50-1/100

**Host Species:** Mouse

**Clonality:** Mouse Monoclonal

**Clone ID:** 10C8-9F6-10C8

**MW:** -

**Isotype:** IgG1

**Purification:** Affinity Purified

**Species Reactivity:** Human,Rat,Mouse


**Conjugation:** Unconjugated

**Modification:** Phosphorylated


**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

**Research Areas:** Cell Biology

**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemical analysis of paraffin-embedded Human tonsils using Phospho-ERK1/2 (Tyr222/Tyr205) (10C8) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human Colon Carcinoma Tissue using Phospho-ERK1/2 (Tyr222/Tyr205) (10C8) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.