

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

PPIC RABBIT PAB

Cat.#: S219263

Product Name: Anti-PPIC Rabbit Polyclonal Antibody

Synonyms: CYPC

UNIPROT ID: P45877 (Gene Accession - BC002678)

Background: The protein encoded by this gene is a member of the peptidyl-prolyl cis-trans isomerase

(PPlase)) family. PPlases catalyze the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and accelerate the folding of proteins. Similar to other PPlases, this protein can bind

immunosuppressant cyclosporin A.

Immunogen: Fusion protein of human PPIC

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 50-200;WB: 200-1000;ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Signal Transduction, Immunology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 219263(PPIC Antibody) at a dilution of 1/55(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 219263(Anti-PPIC Antibody) at dilution 1/55.



paraffin-embedded Human ovarian cancer tissue using 219263(Anti-PPIC Antibody) at a dilution of 1/55.



The image on the left is immunohistochemistry of In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with fusion protein and then with D226149(Anti-PPIC Antibody) at dilution 1/55.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane: Mouse pancreas tissue lysate; Primary antibody: 219263(PPIC Antibody) at dilution 1/700; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 5 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010