

## RFFL RABBIT PAB

**Cat.#:** S217753

**Product Name:** Anti-RFFL Rabbit Polyclonal Antibody

**Synonyms:** CARP2; FRING; CARP-2; RNF189; RNF34L; RIFIFYLIN

**UNIPROT ID:** Q8WZ73 (Gene Accession - BC028424 )

**Background:** Enables enzyme binding activity; p53 binding activity; and ubiquitin protein ligase activity. Involved in cellular protein metabolic process; negative regulation of cysteine-type endopeptidase activity involved in execution phase of apoptosis; and negative regulation of signal transduction. Located in endosome membrane and plasma membrane.

**Immunogen:** Fusion protein of human RFFL

**Applications:** ELISA, IHC

**Recommended Dilutions:** IHC: 50-200; ELISA: 5000-10000

**Host Species:** Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG


**Purification:** Antigen affinity purification

**Species Reactivity:** Human, Mouse, Rat


**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**Research Areas:** Signal Transduction, Epigenetics and Nuclear Signaling, Cancer, Cell Biology


**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 217753(RFFL Antibody) at a dilution of 1/70(Cytoplasm).



In comparison with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217753(Anti-RFFL Antibody) at dilution 1/70.



The image on the left is immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using 217753(Anti-RFFL Antibody) at a dilution of 1/70.



In comparison with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with fusion protein and then with D223004(Anti-RFFL Antibody) at dilution 1/70.