

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010


## **RNF41 RABBIT PAB**

Cat.#: S219563 Product Name: Anti-RNF41 Rabbit Polyclonal Antibody Synonyms: FLRF; NRDP1; SBBI03 **UNIPROT ID:** Q9H4P4 (Gene Accession - BC032637) Background: This gene encodes an E3 ubiquitin ligase. The encoded protein plays a role in type 1 cytokine receptor signaling by controlling the balance between JAK2-associated cytokine receptor degradation and ectodomain shedding. Alternative splicing results in multiple transcript variants. Immunogen: Fusion protein of human RNF41 Applications: ELISA, WB, IHC Recommended Dilutions: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000 Host Species: Rabbit Clonality: Rabbit Polyclonal Isotype: Immunogen-specific rabbit IgG Purification: Antigen affinity purification Species Reactivity: Human, Mouse Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol Research Areas: Cell Biology Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human colorectal cancer tissue using 219563(RNF41 Antibody) at a dilution of 1/70(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with the fusion protein and then with 219563(Anti-RNF41 Antibody) at dilution 1/70.



The image on the left is immunohistochemistry of In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue using 219563 (Anti-RNF41 Antibody) at a dilution of first treated with fusion protein and then with 1/70.

paraffin-embedded Human liver cancer tissue is D227774(Anti-RNF41 Antibody) at dilution 1/70.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-2: TM4, 293T cell lysates; Primary antibody: 219563(RNF41 Antibody) at dilution 1/1000; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 10 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010