

## SLC30A3 RABBIT PAB

**Cat.#:** S219370

**Product Name:** Anti-SLC30A3 Rabbit Polyclonal Antibody

**Synonyms:** ZNT3

**UNIPROT ID:** Q99726 (Gene Accession - BC028358 )

**Background:** Involved in accumulation of zinc in synaptic vesicles.

**Immunogen:** Fusion protein of human SLC30A3

**Applications:** ELISA, WB, IHC

**Recommended Dilutions:** IHC: 50-100;WB: 500-2000;ELISA: 5000-10000

**Host Species:** Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG


**Purification:** Antigen affinity purification

**Species Reactivity:** Human, Mouse, Rat


**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**Research Areas:** Neuroscience


**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human brain tissue using 219370(SLC30A3 Antibody) at a dilution of 1/55(Cytoplasm).




In comparison with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with the fusion protein and then with 219370(Anti-SLC30A3 Antibody) at dilution 1/55.



The image on the left is immunohistochemistry of paraffin-embedded Human gastric cancer tissue using 219370(Anti-SLC30A3 Antibody) at a dilution of 1/55.



In comparison with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with fusion protein and then with D226562(Anti-SLC30A3 Antibody) at dilution 1/55.



Gel: 8%SDS-PAGE, Lysate: 40 µg;  
 Lane 1-3: K562, Jurkat and 293T cell lysates;  
 Primary antibody: 219370(SLC30A3 Antibody) at dilution 1/550;  
 Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;  
 Exposure time: 10 seconds



# Product Description

Pioneering GTPase and Oncogene Product Development since 2010

---