

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## TAF12 RABBIT PAB

Cat.#: S217878

**Product Name:** Anti-TAF12 Rabbit Polyclonal Antibody

Synonyms: TAF2J; TAFII20

UNIPROT ID: Q16514 (Gene Accession - BC011986)

**Background:** Control of transcription by RNA polymerase II involves the basal transcription machinery which is a collection of proteins. These proteins with RNA polymerase II, assemble into complexes which are modulated by transactivator proteins that bind to cis-regulatory elements located adjacent to the transcription start site. Some modulators interact directly with the basal comple,x whereas others may act as bridging proteins linking transactivators to the basal transcription factors. Some of these associated factors are weakly attached while others are tightly associated with TBP in the TFIID complex. Among the latter are the TAF proteins.

Immunogen: Fusion protein of human TAF12

Applications: ELISA, IHC

Recommended Dilutions: IHC: 25-100; ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG

**Purification:** Antigen affinity purification

Species Reactivity: Human, Mouse

**Constituents:** PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**Research Areas:** Epigenetics and Nuclear Signaling

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 217878(TAF12 Antibody) at a dilution of 1/35(Cytoplasm and Nucleus).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217878(Anti-TAF12 Antibody) at dilution 1/35.



The image on the left is immunohistochemistry of paraffinembedded Human esophagus cancer tissue using 217878(Anti-TAF12 Antibody) at a dilution of 1/35.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion protein and then with D223279(Anti-TAF12 Antibody) at dilution 1/35.