

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **TEKT4 RABBIT PAB**

Cat.#: S216835

**Product Name:** Anti-TEKT4 Rabbit Polyclonal Antibody

Synonyms:

**UNIPROT ID:** Q8WW24 (Gene Accession - BC021716)

**Background:** Tektin 4, also known as TEKT4, is a 435 amino acid protein belonging to the tektin family. Localizing to cytoplasm as well as haploid round spermatids in testis, Tektin 4 is expressed in the abaxial surface of outer dense fibers (ORFs) in sperm flagella. Deletion of Tektin 4 is associated with

uncoordinated waveform propagation and reduced velocity of sperm flagellum, resulting in subfertility.

Immunogen: Fusion protein of human TEKT4

Applications: ELISA, WB, IHC

**Recommended Dilutions:** IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


**Research Areas:** Signal Transduction

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human colon cancer tissue using 216835(TEKT4 Antibody) at a dilution of 1/20(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the fusion protein and then with 216835(Anti-TEKT4 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using 216835(Anti-TEKT4 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D221332(Anti-TEKT4 Antibody) at dilution 1/20.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-2: A172 and 293T cell;

Primary antibody: 216835(TEKT4 Antibody) at

dilution 1/200;

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 1 minute



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010