

TGM4 RABBIT PAB

Cat.#: S217936

Product Name: Anti-TGM4 Rabbit Polyclonal Antibody

Synonyms: TGP; hTGP

UNIPROT ID: P49221 (Gene Accession - BC007003)

Background: Transglutaminase 4 also known as TGM4, TGP or hTGP, is a typical TGase that is specifically expressed in prostate tissue. TGM4 are intercellularly localizing, Ca²⁺-dependent enzymes, which catalyze the formation of isopeptide bonds by transferring an amine on to glutaminy residues, thereby cross-linking glutamine residues and lysine residues in substrate proteins. TGases influence numerous biological processes including blood coagulation, epidermal differentiation, seminal fluid coagulation, fertilization, cell differentiation and apoptosis.

Immunogen: Fusion protein of human TGM4

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG


Purification: Antigen affinity purification

Species Reactivity: Human


Constituents: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

Research Areas: Metabolism


Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human prostate cancer tissue using 217936(TGM4 Antibody) at a dilution of 1/20(Cytoplasm).




In comparison with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with the fusion protein and then with 217936(Anti-TGM4 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using 217936(Anti-TGM4 Antibody) at a dilution of 1/20.



In comparison with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion protein and then with D223399(Anti-TGM4 Antibody) at dilution 1/20.



Gel: 6%SDS-PAGE, Lysate: 40 µg;
 Lane 1-5: Hela, Incap, skov3, 293T and TM4 cell;
 Primary antibody: 217936(TGM4 Antibody) at dilution 1/400;
 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;
 Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
