

## TIAM2 RABBIT MAB

**Cat.#:** N262995

**Product Name:** Anti-TIAM2 Rabbit Monoclonal Antibody

**Synonyms:** STEF; TIAM-2

**UNIPROT ID:** Q8IVF5

**Background:** Modulates the activity of RHO-like proteins and connects extracellular signals to cytoskeletal activities. Acts as a GDP-dissociation stimulator protein that stimulates the GDP-GTP exchange activity of RHO-like GTPases and activates them. Mediates extracellular laminin signals to activate Rac1, contributing to neurite growth. Involved in lamellipodial formation and advancement of the growth cone of embryonic hippocampal neurons. Promotes migration of neurons in the cerebral cortex. When overexpressed, induces membrane ruffling accompanied by the accumulation of actin filaments along the altered plasma membrane. Activates specifically RAC1, but not CDC42 and RHOA.

**Immunogen:** Recombinant protein of human TIAM2

**Applications:** WB,IHC-F,IHC-P,ICC/IF

**Recommended Dilutions:** WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

**Host Species:** Rabbit

**Clonality:** Rabbit Monoclonal

**Clone ID:** R09-8G7

**MW:** Calculated MW: 190 kDa; Observed MW: 190 kDa

**Isotype:** IgG

**Purification:** Affinity Purified

**Species Reactivity:** Human


**Conjugation:** Unconjugated

**Modification:** Unmodified

**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

**Research Areas:** Signal Transduction

**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing



Western blot analysis of TIAM2 in K562, 293 lysates using TIAM2 antibody.