

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

TRIM49 RABBIT PAB

Cat.#: S217908

Product Name: Anti-TRIM49 Rabbit Polyclonal Antibody

Synonyms: RNF18; TRIM49A; TRIM49L2

UNIPROT ID: P0Cl25 (Gene Accession - BCl26472)

Background: The protein encoded by this gene contains a RING zinc finger, a motif known to be involved in protein-protein interactions. This gene has been found to be preferentially expressed in testis. Related

pseudogenes and gene duplicates have also been identified on chromosome 11.

Immunogen: Fusion protein of human TRIM49

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 30-150;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification

Species Reactivity: Human

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Cell Biology

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 217908(TRIM49 Antibody) at a dilution of 1/40(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the fusion protein and then with 217908(Anti-TRIM49 Antibody) at dilution 1/40.



paraffin-embedded Human liver cancer tissue using 217908(Anti-TRIM49 Antibody) at a dilution of 1/40.



The image on the left is immunohistochemistry of In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D223352(Anti-TRIM49 Antibody) at dilution 1/40.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: 293T cells; Primary antibody: 217908(TRIM49 Antibody) at dilution 1/800;

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution;

Exposure time: 3



Product Description

Pioneering GTPase and Oncogene Product Development since 2010