

# **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

### **B-CATENIN(G38D)**

### **β-Catenin(G38D)**

**Cat. #:** 26169

Gene Symbol: CTNNB1, CTNNB

**Description:** Anti-β-catenin(G38D) Mouse Monoclonal Antibody

**Background:** Beta-catenin(or  $\beta$ -catenin) is a protein that in humans is encoded by the CTNNB1 gene.  $\beta$ -catenin is a subunit of the cadherin protein complex and also acts as an intracellular signal transducer in the Wnt signaling pathway. Deregulation of beta-catenin signaling is an important event in the genesis of a number of malignancies, such as colon cancer, melanoma, hepatocellular carcinoma, ovarian cancer, endometrial cancer, medulloblastoma pilomatricomas, and prostate cancer.

**Immunogen:** A synthetic peptide from the internal region of  $\beta$ -catenin which includes the mutation of G38D, human origin.

Applications: ELISA, WB, IF, IHC

**Recommended Dilutions:** 

ELISA: 1:1000-1:5000 WB: 1:500-1:2000 IHC: 1:50-100

Concentration: 1 mg/ml Host Species: Mouse

Format: Liquid

**Clonality:** Monoclonal

Isotype: IgG

Purity: Purified from ascites

**Preservative:** No

Constituents: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 50%

glycerol

**Species Reactivity:** Recognizes  $\beta$ -catenin(G38D), but not wild type  $\beta$ -catenin

protein from vertebrates.


Storage Conditions: Store at -20°C. Avoid repeated freezing and thawing



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010


#### **Western blot:**



### WB: Anti-β-Catenin (G38D) mAb

Western blot analysis of recombinant β-catenin(G38D) and wild type proteins. Purified His-tagged β-catenin(G38D) protein (amino acids 1-76, lane 2) and corresponding wild type protein (lane 1) were blotted with anti-β-catenin(G38D) mouse monoclonal antibody (Cat. #26169).

#### Immunofluorescence:



Immunofluorescence of cells expressing β-catenin proteins with anti-β-catenin(G38D) antibody. HEK293T cells were transfected with pCDNA3-GFP-CTNNB1 (WT) plasmid (left column) or pCDNA3-GFP-CTNNB1(G38D) plasmid (right column), then fixed and stained with anti-β-catenin(G38D) monoclonal antibody (Cat. #26169).