

## HUMAN FZD10 FULL LENGTH PROTEIN

**Cat.#:** 11033

**Product Name:** Human FZD10 Full Length Protein

**Size:** 10 µg, 50 µg and 100 µg

**Synonyms:** CD350; FZ-10; Fz10; FzE7; hFz10

**Target:** FZD10

**UNIPROT ID:** Q9ULW2

**Description:** Human FZD10 full length protein-synthetic nanodisc

**Background:** A member of the frizzled gene family. Members of this family encode 7-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. Using array analysis, expression of this intronless gene is significantly up-regulated in two cases of primary colon cancer.

**Species/Host:** HEK293

**Molecular Weight:** The human full length FZD10 protein has a MW of 65.3 kDa

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**Storage & Shipping:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure1. Elisa plates were pre-coated with Flag Tag FZD10-Nanodisc (0.2 µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with FZD10-Nanodisc is 2.854ng/ml.




Figure2. Human FZD10-Nanodisc, Flag Tag on SDS-PAGE