

HUMAN 4-1BB PROTEIN, MFC-HIS TAG

Cat.#: 11139

Product Name: Human 4-1BB Protein

Size: 10 µg, 50 µg and 100 µg

Synonyms: TNFRSF9;4-1BB;CD137;CDw137;ILA

Target: 4-1BB

UNIPROT ID: Q07011

Description: Recombinant human 4-1BB protein with C-terminal mouse Fc and 6xHis tag

Background: The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contributes to the clonal expansion, survival, and development of T cells. It can also induce proliferation in peripheral monocytes, enhance T cell apoptosis induced by TCR/CD3 triggered activation, and regulate CD28 co-stimulation to promote Th1 cell responses. The expression of this receptor is induced by lymphocyte activation. TRAF adaptor proteins have been shown to bind to this receptor and transduce the signals leading to activation of NF-kappaB.

Species/Host: HEK293

Molecular Weight: The protein has a predicted molecular mass of 54-60 kDa after removal of the signal peptide.

Molecular Characterization: 41BB(Leu24-Gln186) mFc(Pro99-Lys330) 6xHis

Purity: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

Storage & Shipping: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human 4-1BB Protein, mFc-His Tag on SDS-PAGE under reducing condition.




Figure 2. HEK293 cell line transfected with irrelevant protein (B) and human 4-1BB Ligand (A) were surface stained with Human 4-1BB, mFc-His tagged protein (11139) 1µg/ml followed by Alexa 488-conjugated anti-mouse IgG secondary antibody.

Human 4-1BB, mFc-His Tagged protein ELISA




Figure 3. ELISA plate pre-coated by 2 µg/ml (100 µl/well) Human 4-1BB, mFc-His tagged protein (11139) can bind Anti-4-1BB Neutralizing antibody 28046 in a linear range of 3.2-400 ng/ml.