

HUMAN CD79A PROTEIN, HFC TAG**Cat.#:** 11978**Product Name:** Human CD79A Protein**Size:** 10 µg, 50 µg and 100 µg**Synonyms:** IGA;MB-1**Target:** CD79A**UNIPROT ID:** P11912**Description:** Recombinant Human CD79A Protein with C-terminal human Fc tag**Background:** The B lymphocyte antigen receptor is a multimeric complex that includes the antigen-specific component, surface immunoglobulin (Ig). Surface Ig non-covalently associates with two other proteins, Ig-alpha and Ig-beta, which are necessary for expression and function of the B-cell antigen receptor. This gene encodes the Ig-alpha protein of the B-cell antigen component. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008]**Species/Host:** HEK293**Molecular Weight:** The protein has a predicted molecular mass of 38.7 kDa after removal of the signal peptide. The apparent molecular mass of CD79A-hFc is approximately 35-70 kDa due to glycosylation.**Molecular Characterization:** CD79A(Leu33-Arg143) hFc(Glu99-Ala330)**Purity:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.**Storage & Shipping:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Figure 1. Human CD79A Protein, hFc Tag on SDS-PAGE under reducing condition.