

HUMAN CHODL PROTEIN, HFC TAG**Cat.#:** 11405**Product Name:** Human CHODL Protein**Size:** 10 µg, 50 µg and 100 µg**Synonyms:** C21orf68;MT75;PRED12**Target:** CHODL**UNIPROT ID:** Q9H9P2**Description:** Recombinant Human CHODL with C-terminal human Fc tag

Background: This gene encodes a type I membrane protein with a carbohydrate recognition domain characteristic of C-type lectins in its extracellular portion. In other proteins, this domain is involved in endocytosis of glycoproteins and exogenous sugar-bearing pathogens. This protein localizes predominantly to the perinuclear region. Several transcript variants encoding a few different isoforms have been found for this gene. [provided by RefSeq, Feb 2011]

Species/Host: HEK293

Molecular Weight: The protein has a predicted molecular mass of 48.1 kDa after removal of the signal peptide. The apparent molecular mass of CHODL-hFc is approximately 70–100 kDa due to glycosylation.

Molecular Characterization: CHODL(Arg22–Asn216) hFc(Glu99–Ala330)

Purity: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

Storage & Shipping: Store at –20°C to –80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at –80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human CHODL Protein, hFc Tag on SDS-PAGE under reducing condition.