

## HUMAN GRPR PROTEIN, HFC TAG

**Cat.#:** 11925

**Product Name:** Human GRPR Protein

**Size:** 10 µg, 50 µg and 100 µg

**Synonyms:** BB2;BB2R;BRS2

**Target:** GRPR

**UNIPROT ID:** P30550

**Description:** Recombinant Human GRPR Protein with C-terminal human Fc tag

**Background:** Gastrin-releasing peptide (GRP) regulates numerous functions of the gastrointestinal and central nervous systems, including release of gastrointestinal hormones, smooth muscle cell contraction, and epithelial cell proliferation and is a potent mitogen for neoplastic tissues. The effects of GRP are mediated through the gastrin-releasing peptide receptor. This receptor is a glycosylated, 7-transmembrane G-protein coupled receptor that activates the phospholipase C signaling pathway. The receptor is aberrantly expressed in numerous cancers such as those of the lung, colon, and prostate. An individual with autism and multiple exostoses was found to have a balanced translocation between chromosome 8 and a chromosome X breakpoint located within the gastrin-releasing peptide receptor gene. [provided by RefSeq, Jul 2008]

**Species/Host:** HEK293

**Molecular Weight:** The protein has a predicted molecular mass of 30.4 kDa after removal of the signal peptide. The apparent molecular mass of GRPR-hFc is approximately 35–55 kDa due to glycosylation.

**Molecular Characterization:** GRPR(Met1-Gly38) hFc(Glu99-Ala330)

**Purity:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**Storage & Shipping:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human GRPR Protein, hFc Tag on SDS-PAGE under reducing condition.