

PIK3CA(H1047Y)

PIK3CA(H1047Y)

Cat. #: 26216

Size: 100 µL

Gene Symbol: PIK3CA, CLOVE, CWS5, MCAP, MCM, MCMTTC, PI3K, p110-alpha

Description: Anti-PIK3CA(H1047Y) Mouse Monoclonal Antibody

Background: Phosphatidyl 3-kinases (PI3K) are a family of lipid kinases involved in many cellular processes, including cell growth, proliferation, differentiation, motility, and survival. It is composed of an 85 kDa regulatory subunit and a 110 kDa catalytic subunit. Mutants of PIK3CA has been found in the pathogenesis of several cancers, including colon cancer, gliomas, gastric cancer, breast cancer, endometrial cancer, and lung cancer.

Immunogen: A synthetic peptide from the internal region of PIK3CA which includes the mutation of H1047Y, human origin.

Applications: ELISA, WB, IHC

Recommended Dilutions:

ELISA: 1:1000-1:5000

WB: 1:500-1:1000

IHC: 1:50-1:100

Concentration: 0.5 mg/ml

Host Species: Mouse

Format: Liquid

Clonality: Monoclonal

Isotype: IgG


Purity: Purified from ascites

Preservative: No

Constituents: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 50% glycerol


Species Reactivity: Recognizes H1047Y mutant, but not wild type PIK3CA of vertebrates.

Storage Conditions: Store at -20°C. Avoid repeated freezing and thawing



Western blot: WB: Anti- PIK3CA(H1047Y) mAb

Western blot analysis of recombinant PIK3CA(H1047Y) and wild type proteins. Purified His-tagged PIK3CA(H1047Y) protein (lane 2) and corresponding wild type protein (lane 1) were blotted with Anti-PIK3CA(H1047Y) monoclonal antibody (Cat. #26216).



Immunofluorescence:

Immunofluorescence of cells expressing PIK3CA proteins with Anti-PIK3CA(H1047Y) antibody. HEK293T cells were transfected with pCDNA3-GFP-PIK3CA (WT) plasmid (left column) or pCDNA3-GFP-PIK3CA(H1047Y) plasmid (right column), then fixed and stained with Anti-PIK3CA(H1047Y) monoclonal antibody (Cat. #26216).