

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **MEK1(N382H)**

Catalog Number: 26270

Gene Symbol: MAP2K1; MAPKK1; MEK1; MKK1; PRKMK1 Description: Anti-MEK1(N382H) Mouse Monoclonal Antibody

Background: MEK1 (also known as extracellular signal-regulated kinases, ERKs) plays important role in the MAP kinase cascade, which transduces multiple extracellular signals to control cell growth, proliferation and differentiation. Activated upon growth factors stimulation, MEK1 phosphorylates MAPK3/ERK1 and MAPK1/ERK2, thus activates the MAP pathway and regulates transcription. Abnormal of the MEK1 protein, including point mutations, are implicated in diseases such as cardiofaciocutaneous syndrome (CFC) and melanoma.

**Immunogen:** A synthetic peptide from the internal region of MEK1, which includes the mutation of N382H, human origin.

**Tested Applications:** ELISA, WB, IF. IHC **Recommended Dilutions:** 

ELISA: 1:1000-1:2000 WB: 1:500-1:1000 IF: 1:50-1:100 IHC: 1:50-1:100

Concentration: 1.0 mg/ml

Host: Mouse

Clonality: Monoclonal

Isotype: IgG

Purity: Purified from ascites

Format: Liquid Preservative: No

Constituents: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH7.4, 150

mM NaCl, 50% glycerol


Species Reactivity: Recognizes MEK1(N382H), but not

wild type MEK1 protein from vertebrates.

Storage Conditions: Store at -20°C. Avoid repeated

freezing and thawing

## Western blot:



WB: Anti- MEK1 (N382H) mAb

Western blot analysis of recombinant MEK1 (N382H) and wild type proteins.

HEK293T cells were transfected with pCDNA3-GFP-MEK1 (WT) plasmid (left column) or pCDNA3-GFP-MEK1 (N382H) plasmid (right column), then fixed and stained with anti-MEK1 (N382H) monoclonal antibody (Cat. #26270).

Support:

Web:

610-945-2007


info@neweastbio.com

www.neweastbio.com



Pioneering GTPase and Oncogene Product Development since 2010

## Immunofluorescence:



Immunofluorescence of cells expressing MEK1 proteins with anti-MEK1 (N382H) antibody.

HEK293T cells were transfected with pCDNA3-GFP-MEK1 (WT) plasmid (left column) or pCDNA3-GFP-MEK1 (N382H) plasmid (right column), then fixed and stained with anti-MEK1 (N382H) monoclonal antibody (Cat. # 26270).

info@neweastbio.com Web: www.neweastbio.com